

**FAVORITE**  
*my new favorite*



**WORKBOOK 2024**

Europe • Asia • Australia







Favorite is a global fishing tackle brand with headquarters in the USA, Poland, and Ukraine. Founded in 2006, Favorite has since established subsidiary manufacturing facilities in China, Korea, and Japan. We supply tackle and promote our philosophy across five continents, from the USA to Australia.

We specialize in creating functional tackle designed for trophy fishing worldwide. Each Favorite product is the result of a research into various fishing conditions, detailed analysis of locations, and extensive testing by professional anglers.


Our use of the latest technologies and advanced materials enables us to manufacture superior fishing tackle. Favorite was declared as the winner several times in the category of best product of the year and received several World Awards. By providing a superior level of a gear quality we entirely upgraded the user experience with our products and became a game changer in the industry in many markets.

Therefore, our iconic models, including the Black Swan, Blue Bird, and X1, are highly admired by the world's premier anglers and sports enthusiasts.

## Contents

Rod and reel technologies.....	2
Rods .....	4
Reels.....	19
PE lines and leaders.....	23
Accessories.....	26
Clothing .....	33
Favorite saltwater .....	40

# ROD TECHNOLOGIES




MLS

## MULTI LAYER STRUCTURE

All Favorite rod blanks are made of layering combination were carbon of different modulus and different fiber directions, allows us to achieve desired rod action, increase the durability and reduce the rod weight.


Multiple carbon layer combinations with diverse fiber directions are used. Length (unidirectional) provides blank stiffness. Layers with different fiber directions (multi-directional) provide strength and torsional load resistance.



MLS SLIM

## MULTI LAYER STRUCTURE SLIM

The usage of a special different modulus carbon layer combination and different fiber directions allow us to create very thin and "slim" blanks without losing rod stiffness, which we use to build L and UL class rods.




## OCTA CORE GRID

8-directional high modulus structured blank wrapping. It forms kind of a net around the blank with an octagon as a base. This is one of the strongest mechanical structures.

The usage of an Octa Core Grid protects the blank during the versatile direction loads and makes it stiffer.

This allows to use higher modulus fiber and makes the blank thinner and lighter without the loss of strength.



FX GRID

## FX GRID

This X-like carbon tape blank wrapping is used on the butt and middle sections of the blank, making it more durable and increasing the rod power.

Allows us to build a rod with a flexible upper part, which works well during casting of light lures.

# ROD GUIDES



## FUJI K-R CONCEPT

The new concept of placing the guides, which uses a new type of guides KL-H, was introduced by Fuji in 2012. The basic principle of the new concept is the so-called fast cone principle, which consists of only three guides of small diameter on high legs.

This allows you to quickly put down the fluctuations of the fishing line and prevents it from rubbing against the rod blank in front of the inlet guide. In addition, the K-R concept provides the reduction of the total mass of guides and unloading of the rod tip through the use of small running guides.

Using the K-R concept improves a number of rod specifications:

- Reduction in weight
- Improvement in balance
- Increase in casting distance
- Increase in accuracy of casting.



Fuji TZ – Most advanced slim and hard inserts from Fuji (only titanium frame).



Fuji Alconite – Common guide inserts from Fuji.



Fuji SiC-S – Slim guide inserts made from Silicon Carbide by Fuji.



Ti frame – Guide frame made from Titanium. Lighter than steel.



CC Frame is a special treatment of guide frames that provides seven times the corrosion resistance of standard stainless steel. This plating ensures long-term protection, and while not 100% corrosion-proof like Titanium guides, CC extends the life of stainless steel by up to seven times when corrosion-tank tested against standard stainless frames. In addition to corrosion resistance, these frames offer good anti-scratch properties.



ZrO<sub>2</sub> – Guide inserts made from Zirconium Oxide.



ZrO<sub>2</sub> slim – Slim guide inserts made from Zirconium Oxide.



TiO<sub>2</sub> – Guide inserts made from Titanium Oxide.



Seaguide XQG – anti-tangle guides made of S316L stainless steel.




Tangle-free Fuji technology is a fishing rod guide innovation developed by the Fuji Tackle Company designed to minimize line tangling and snags within the guides, enhancing casting performance.




## ROD MATERIALS


We use the most advanced prepregs from the very best Korean (Skyflex) and Japanese (Toray) manufacturers to create our Favorite rods. Both Japan and Korean prepreg are made of Japanese graphite fiber made by Mitsubishi. We use a combination of graphite of different modularity in order to achieve the best action and rod performance characteristics. We indicate the manufacturer and prevailing carbon fiber modularity for each rod blank. Higher modularity provides lighter, stiffer and more sensitive rod on the performance side.


 Skyflex 24T – Korean manufacturer SK prepreg. Modulus 24 TON.

 Toray 40T – Japan manufacturer Toray prepreg. Modularity 40 TON (~59 Msi)


 Skyflex 30T – Korean manufacturer SK prepreg. Modularity 30 TON (~44 Msi, approximates IM9-IM10 from Hexcel)


 Toray 46T – Japan manufacturer Toray prepreg. Modularity 46 TON (~68 Msi)

 Skyflex 40T – Korean manufacturer SK prepreg. Modularity 40 TON (~59 Msi)

 Toray M40X – carbon fiber with high compression strength and high tensile modulus carbon strength. M40X has higher tensile strength for about 30% while retaining the equivalent tensile modulus to conventional carbon fibers of equal modularity.

 Toray 30T – Japan manufacturer Toray prepreg. Modulus 30 TON

 Toray 36T – Japan manufacturer Toray prepreg. Modularity 36 TON (~53 Msi)

 Toray T1100 – Japan manufacturer Toray prepreg. This carbon was previously available exclusively for Japan. T1100 is 30% stronger than other prepregs of equal modularity.

## REEL TECHNOLOGIES



New technologies allowed us to make the reel body of high modulus carbon. This kind of material has almost same strength and stiffness as metal but is much lighter. This technology brings our reels on the same level with top reels from well-known manufacturers. Now we have truly lightweight reels not more than 6.5 oz for a 2000 size reel. At the same time the new material is strong enough to increase the sensitivity due to the stiffness.



HD gear (baitcasting reels). Reinforced (Heavy Duty) main gear made by cold forging method.



HD gear (spinning reels). Reinforced main gear made of high-strength lightweight alloy and placed on the metal shaft. Screw-in connection between the gear and handle allows the angler to minimize any kind of backlash and makes the rotation smooth.



Steel Bearings – closed-type bearings made of stainless steel. They have increased resistance to corrosion and mechanical stress, which allows you to use the reel for salt water fishing.



Dual brake. Combined centrifugal-magnetic braking system.



Nylon T60. More tough and rigid compared to other kinds of plastic used in the production of spool details.



Screw in Handle. The reel handle is screwed into the drive gear, this minimizes the play and increases reliability.



Lightweight aluminum alloy metal body and side cover. Stronger and more durable reel body.



Feather Light Rotor 2 – lightweight carbon-plastic skeleton 2<sup>nd</sup> generation rotor has become even more compact, thus providing less inertia and positively affecting the smoothness and softness of the reel's rotation.



Feather lite rotor. Lightweight carbon-plastic skeleton rotor. Provides less inertia and allows for a smoother reel rotation.



Carbo drag. Carbon friction washers provide instantaneous start and accurate tuning.



# X1

NEW

The series is designed for fishermen looking to increase the efficiency of their hunting and switch from a versatile rod to a specialized one. Each X1 line is functional, reliable and engineered for the specific characteristics of predatory fishing conditions. A distinctive feature of the series is the quality of the blanks. They are made of Korean carbon fiber prepreg Skyflex 30T, making them light and sensitive. Thus, they can be confidently comparable with the blanks of more expensive rods. Simple design allowed to make X1 rods affordable without losing functionality. The rod handles and plastic reel seat are comfortable in the hand, and guides with slim inserts are located in accordance with the KR-concept. The updated X1 series is divided into several lines of rods by specialization.



**General light / General heavy / Twitch**



**Pike**



**Stream**

	MODEL	LENGTH, M	LURE TEST, G	LINE TEST	ACTION	WEIGHT, G	SECTION	TRANSP. LENGTH, CM	EAN-13
<b>X1 SPINNING MODEL</b>									
Stream	X1.1-632UL	1.90	0.5 - 5	#0.3 - 0.5 PE	Mod.Fast	75	2	98	4823102106946
	X1.1-682UL	2.03	1.5 - 7	#0.3 - 0.5 PE	Mod.Fast	84	2	104.5	4823102106939
	X1.1-702L	2.13	3 - 10	#0.4 - 0.6 PE	Mod.Fast	87	2	110	4823102106922
	X1.1-732L	2.21	3 - 12	#0.4 - 0.6 PE	Mod.Fast	91	2	114.5	4823102106878
General light	X1.1-762ML	2.29	4 - 14	#0.5 - 0.8 PE	Fast	99	2	117.5	4823102106960
	X1.1-762M	2.29	7 - 21	#0.8 - 1.2 PE	Fast	112	2	117.5	4823102106861
	X1.1-832ML	2.51	4 - 14	#0.5 - 0.8 PE	Fast	112	2	129	4823102106816
	X1.1-832M	2.51	7 - 21	#0.8 - 1.2 PE	Fast	125	2	129	4823102106809
	X1.1-902M	2.74	7 - 26	#0.8 - 1.2 PE	Ex.Fast	142	2	141	4823102106755
	<b>NEW</b> X1.1-982M	2.94	7 - 28	#0.8 - 1.2 PE	Fast	159	2	152	4823102109442
General heavy	X1.1-772MH	2.32	10 - 32	#1 - 1.5 PE	Ex.Fast	124	2	119	4823102106854
	X1.1-772H	2.32	16 - 54	#1.2 - 2 PE	Ex.Fast	137	2	119	4823102106847
	X1.1-772ExH	2.32	20 - 80	#1.5 - 2.5 PE	Ex.Fast	157	2	119	4823102106830
	X1.1-852MH	2.57	12 - 35	#1 - 1.5 PE	Ex.Fast	145	2	132	4823102106793
	X1.1-852H	2.57	20 - 60	#1.2 - 2 PE	Ex.Fast	161	2	132	4823102106786
	X1.1-852ExH	2.57	25 - 85	#1.5 - 2.5 PE	Ex.Fast	184	2	132	4823102106779
	X1.1-902MH	2.74	12 - 36	#1 - 1.5 PE	Ex.Fast	156	2	141	4823102106748
	X1.1-902H	2.74	18 - 56	#1.2 - 2 PE	Ex.Fast	190	2	141	4823102106731
	<b>NEW</b> X1.1-902ExH	2.74	20 - 80	#1.5 - 2.0 PE	Fast	224	2	141	4823102109459
	<b>NEW</b> X1.1-982MH	2.94	15 - 45	#1.0 - 1.5 PE	Fast	192	2	152	4823102109435
<b>NEW</b> X1.1-982H	2.94	20 - 60	#1.2 - 2.0 PE	Fast	208	2	152	4823102109428	
<b>NEW</b> X1.1-982ExH	2.94	24 - 86	#1.5 - 2.0 PE	Fast	-	2	152	4823102109411	
Twitch	X1.1-602H	1.83	12 - 36	#1.2 - 2 PE	Ex.Fast	109	2	94.5	4823102106953
	X1.1-702M	2.13	7 - 21	#0.8 - 1.2 PE	Ex.Fast	107	2	110	4823102106915
	X1.1-702MH	2.13	10 - 30	#1 - 1.5 PE	Ex.Fast	117	2	110	4823102106908
	X1.1-702H	2.13	12 - 40	#1.2 - 2 PE	Ex.Fast	129	2	110	4823102106892
	X1.1-702ExH	2.13	16 - 54	#1.5 - 2.5 PE	Ex.Fast	137	2	110	4823102106885
Pike	X1.1-802-110	2.44	30 - 110	#3 - 5 PE	Fast	197	2	125.5	4823102106823





General light / General heavy



Pike



Twitch

	MODEL	LENGTH, M	LURE TEST, G	LINE TEST	ACTION	WEIGHT, G	SECTION	TRANSP. LENGTH, CM	EAN-13
<b>X1 CASTING MODEL</b>									
General light	X1.1C-762M	2.29	7 - 21	#1 - 1.5 PE	Fast	118	2	117.5	4823102106694
	X1.1C-772MH	2.32	10 - 32	#1.2 - 2 PE	Ex.Fast	128	2	119	4823102106687
General heavy	X1.1C-772H	2.32	16 - 54	#1.5 - 2.5 PE	Ex.Fast	139	2	119	4823102106670
	X1.1C-772ExH	2.32	20 - 80	#2 - 3 PE	Ex.Fast	162	2	119	4823102106663
Twitch	X1.1C-602H	1.83	12 - 36	#1.5 - 2.5 PE	Ex.Fast	132	2	94.5	4823102106724
	X1.1C-702MH	2.13	10 - 30	#1.5 - 2.5 PE	Ex.Fast	140	2	110	4823102106717
Pike	X1.1C-702H	2.13	12 - 40	#1.5 - 2.5 PE	Ex.Fast	155	2	110	4823102106700
	X1.1C-802-110	2.44	30 - 110	#3 - 5 PE	Fast	198	2	125.5	4823102106656
	X1.1C-852-160	2.57	80 - 160	#4 - 6 PE	Fast	253	2	132	4823102106649







# X1 TRAVEL


Favorite X1 travel is a travel spinning rod of the same name series X1, which consists of 4 sections. It works well with softbaits as well as spoon and spinning lures. IM24T carbon fiber blank has a fast and an extra fast action. Decent spigot joint junction keeps working properties of the spinning rod. The guides of the spinning rod are equipped with SIC inserts that have streamlined design, meaning they prevent line backlashing during casting. The comfortable ergonomic handle is made of practical EVA material. The spinning rod is kit out with a portable tubus with the length of 64-72 cm, depending on the length of the model itself.



MLS



MODEL	LENGTH, M	LURE TEST, G	LINE TEST	ACTION	WEIGHT, G	SECTION	TRANSP. LENGTH, CM	EAN-13
XI-704ML	2.13	4 - 18	8 - 15 lb	Ex.Fast	136	4	64	4823102102160
XI-764M	2.29	7 - 24	10 - 20 lb	Ex.Fast	153	4	67	4823102102177
XI-764MH	2.29	10 - 32	12 - 25 lb	Fast	163	4	67	4823102102184
XI-804H	2.44	20 - 50	15 - 30 lb	Ex.Fast	193	4	72	4823102102207
XI-804ExH	2.44	30 - 80	20 - 40 lb	Ex.Fast	206	4	72	4823102102191





## U1

Stiff and fast U1 rods are primarily suitable for fishing with softbait and jighead, but also show excellent results with other lures. Ergonomic handles are suitable for any grip, and a short foregrip allows you to rest your finger on the blank. The blanks are made of high quality Skyflex 24T carbon fiber. The rods' guides have extra hard ceramic inserts made of titanium dioxide, that work perfectly with thin PE braids.

U1 rods are a balance of quality and affordability.



MLS



MODEL	LENGTH, M	LURE TEST, G	LINE TEST	ACTION	WEIGHT, G	SECTION	TRANSP. LENGTH, CM	EAN-13
<b>NEW</b> U1.1-602H	1.83	12 - 36	#1.0 - 2.0 PE	Fast	114	2	95	4823102108131
<b>NEW</b> U1.1-602ExH	1.83	20 - 60	#1.2 - 2.5 PE	Fast	126	2	95	4823102108148
U1.1-632H	1.90	10 - 32	#1 - 2 PE	Fast	113	2	99	4823102106045
U1.1-662MH	1.98	7 - 28	#0.8 - 1.5 PE	Fast	108	2	103	4823102106052
U1.1-702ML	2.13	4 - 16	#0.4 - 0.8 PE	Fast	111	2	110	4823102106021
U1.1-702M	2.13	5 - 21	#0.6 - 1 PE	Fast	113	2	110	4823102106076
U1.1-702MH	2.13	7 - 28	#0.8 - 1.5 PE	Fast	118	2	110	4823102106038
U1.1-702H	2.13	10 - 32	#1 - 2 PE	Fast	120	2	110	4823102106069
<b>NEW</b> U1.1-702ExH	2.13	18 - 56	#1.2 - 2.5 PE	Fast	150	2	110	4823102108247
U1.1-762ML	2.28	4 - 18	#0.4 - 0.8 PE	Fast	118	2	118	4823102105994
U1.1-762M	2.28	5 - 21	#0.6 - 1 PE	Fast	121	2	118	4823102105901
U1.1-762MH	2.28	7 - 28	#0.8 - 1.5 PE	Fast	124	2	118	4823102106007
U1.1-762H	2.28	10 - 40	#1 - 2 PE	Fast	137	2	118	4823102106014
U1.1-762ExH	2.29	20 - 60	#1.2 - 2.5	Fast	159	2	118	4823102108230
U1.1-802L	2.44	3 - 12	#0.3 - 0.6 PE	Fast	118	2	126	4823102105970
U1.1-802ML	2.44	4 - 18	#0.4 - 0.8 PE	Fast	120	2	126	4823102105949
U1.1-802M	2.44	5 - 25	#0.6 - 1 PE	Fast	122	2	126	4823102105963
U1.1-802MH	2.44	7 - 32	#0.8 - 1.5 PE	Fast	136	2	126	4823102105956
U1.1-802ExH	2.44	15 - 70	#1.2 - 2.5 PE	Fast	172	2	126	4823102105987
U1.1-832MH	2.51	7 - 28	#0.8 - 1.5 PE	Fast	143	2	131	4823102105925
U1.1-832H	2.51	10 - 45	#1 - 2 PE	Fast	160	2	131	4823102105932
U1.1-872ML	2.61	4 - 16	#0.4 - 0.8 PE	Fast	136	2	136	4823102105918
<b>NEW</b> U1.1-902ML	2.74	7 - 18	#0.4 - 0.8 PE	Fast	148	2	141	4823102108223
<b>NEW</b> U1.1-902M	2.74	10 - 28	#0.6 - 1.0 PE	Fast	150	2	141	4823102137681
<b>NEW</b> U1.1-902MH	2.74	12 - 36	#0.8 - 1.5 PE	Fast	157	2	141	4823102108216
<b>NEW</b> U1.1-902H	2.74	15 - 50	#1.0 - 2.0 PE	Fast	175	2	141	4823102108209
<b>NEW</b> U1.1-902ExH	2.74	20 - 75	#1.2 - 2.5 PE	Fast	196	2	141	4823102108162
<b>NEW</b> U1.1-982MH	2.94	16 - 36	#0.8 - 1.5 PE	Fast	177	2	152	4823102132969
<b>NEW</b> U1.1-982H	2.94	20 - 60	#1.0 - 2.0 PE	Fast	195	2	152	4823102132952
<b>NEW</b> U1.1-982ExH	2.94	26 - 86	#1.2 - 2.5 PE	Fast	220	2	152	4823102132945



# U1 Microjig NEW

The U1 spinning rod range has been expanded with specialized rods for fishing with micro and light soft lures and jig head. The Skyflex 24T Carbon fiber blanks have a modern design and geometry. They are fairly sensitive, lightweight, balanced, and adjusted for jig fishing.

The handle is assembled on the basis of an ergonomic and compact reel seat with an EVA butt section nut. A short foregrip allows you to rest your finger on the blank.

The modern anti tangle guides are arranged according to the KR concept. The lightweight models have one-legged AT guides with TiO2 inserts. The line includes rods with solid and tubular tips.

There is also a travel spinning rod in U1 series.



Microjig



Compact

MODEL	LENGTH, M	LURE TEST, G	LINE TEST	ACTION	WEIGHT, G	SECTION	TRANSP. LENGTH, CM	EAN-13
U1.1-602XUL-S	1.80	1 - 3	#0.2 - 0.3 PE	ExFast	69	2	95	4823102109398
U1.1-692SUL-S	2.06	1 - 5	#0.2 - 0.4 PE	ExFast	78	2	106	4823102108087
U1.1-722UL-S	2.18	1.5 - 7	#0.2 - 0.6 PE	ExFast	85	2	113	4823102108094
U1.1-722L-T	2.18	3 - 12	#0.4 - 0.8 PE	Fast	91	2	113	4823102108124
U1.1-772UL-T	2.31	1.5 - 7	#0.2 - 0.6 PE	Fast	81	2	120	4823102108117
U1.1-7102L-T	2.39	2 - 10	#0.4 - 0.8 PE	Fast	97	2	123	4823102108100
<b>COMPACT</b>								
U1.1-724L-T	2.18	3 - 12	#0.4 - 0.8 PE	Fast	97	4	61	4823102109404



The new line of Totem spinning rods embodies the best price-quality value. These rods have a wide range of models: from fishing with micro soft lures and jig head to super-extra heavy rods.

The blanks are produced using carbon fiber of different modularity, bringing them close to the characteristics of the top models. The core is Toray T1100G prepreg, which is 30% stronger than other prepreps of the same modularity. The Totem is equipped with ZrO2 slim guides with thin zirconium oxide inserts. The EVA handle is assembled on the basis of a graphite arbor and, in combination with a carbon fiber reel seat, it reduces the weight and increases the sensitivity of the rod.

Its simple, understated design and rejection of excessive elements have made the Totem rods rather light for their class.



Handle for UL-L



Handle for ML-ExH

MODEL	LENGTH, M	LURE TEST, G	LINE TEST	ACTION	WEIGHT, G	SECTION	TRANSP. LENGTH, CM	EAN-13
TTMI-682SUL-HS	2.04	0.8 - 4	#0.2 - 0.4 PE	Ex.Fast	68	2	105	4823102133348
TTMI-732UL-HS	2.19	1 - 6	#0.2 - 0.4 PE	Ex.Fast	73	2	115	4823102133355
TTMI-752L-T	2.27	2 - 10	#0.2 - 0.6 PE	Fast	78	2	117	4823102133362
TTMI-762UL-T	2.30	1.5 - 7	#0.2 - 0.4 PE	Fast	78	2	119	4823102133379
TTMI-7112L-T	2.41	2 - 10	#0.2 - 0.6 PE	Fast	82	2	124	4823102133386
TTMI-832L-T	2.51	3 - 12	#0.3 - 0.6 PE	Fast	86	2	129	4823102133393
TTMI-702ML	2.13	6 - 18	#0.5 - 0.8 PE	Fast	91	2	111	4823102133409
TTMI-702M	2.13	8 - 28	#0.6 - 1.2 PE	Fast	104	2	111	4823102133416
TTMI-702MH	2.13	12 - 36	#1.0 - 1.5 PE	Fast	105	2	111	4823102133874
TTMI-702H	2.13	16 - 56	#1.2 - 2.0 PE	Fast	-	2	111	4823102133430
TTMI-762ML	2.30	4 - 18	#0.4 - 0.8 PE	Fast	98	2	119	4823102133447
TTMI-762M	2.30	6 - 24	#0.6 - 1.0 PE	Fast	101	2	119	4823102133454
TTMI-762MH	2.30	12 - 36	#0.8 - 1.5 PE	Fast	110	2	119	4823102133461
TTMI-762H	2.30	20 - 60	#1.0 - 2.0 PE	Fast	-	2	119	4823102133478
TTMI-842ML	2.54	4 - 18	#0.4 - 0.8 PE	Fast	104	2	131	4823102133485
TTMI-842M	2.54	6 - 24	#0.6 - 1.0 PE	Fast	112	2	131	4823102133492
TTMI-842MH	2.54	12 - 36	#0.8 - 1.5 PE	Fast	-	2	131	4823102133508
TTMI-842H	2.54	20 - 60	#1.0 - 2.0 PE	Fast	-	2	131	4823102133515
TTMI-842ExH	2.54	26 - 86	#1.2 - 2.5 PE	Fast	-	2	131	4823102133522
TTMI-902M	2.74	6 - 24	#0.6 - 1.0 PE	Fast	-	2	141	4823102133539
TTMI-902MH	2.74	12 - 36	#0.8 - 1.5 PE	Fast	-	2	141	4823102133546
TTMI-902H	2.74	16 - 56	#1.0 - 2.0 PE	Fast	128	2	141	4823102133553
TTMI-902ExH	2.74	24 - 84	#1.2 - 2.5 PE	Fast	139	2	141	4823102133560
TTMI-982M	2.94	7 - 28	#0.6 - 1.0 PE	Fast	-	2	152	4823102133577
TTMI-982MH	2.94	12 - 36	#0.8 - 1.5 PE	Fast	-	2	152	4823102133584
TTMI-982H	2.94	20 - 60	#1.0 - 2.0 PE	Fast	-	2	152	4823102133591
TTMI-982ExH	2.94	26 - 86	#1.2 - 2.5 PE	Fast	-	2	152	4823102133607



Updated line of Favorite Skyline professional rods, which are primarily designed for jigging. The blank is made of a combination of premium T1100G+Nanoalloy and M40X carbons, which was previously available only for the Japanese market. This carbon is 30% stronger than conventional 40T carbon. Its use allows to make rods lighter and more sensitive without losing strength. The updated Skyline uses a combination of ZrO2 rings in the steel frames and ZrO2 rings in the titanium frames on the tip. This relieved the tip of the rod, resulting in better balance and reduced tip inertia. The outdated Fuji Alconite rings were replaced with more modern and functional DKK rings.

The design is minimalistic, without unnecessary elements that do not carry functionality. As a result, the new Skyline is lighter, louder, and "angrier" than the previous version.

TORAY  
T1100G

TORAY  
M40X

MLS  
SLIM

O.C.G.  
O.C.G.

SLIM  
ZrO2

S  
seaguide

Ti  
FRAME



MODEL	LENGTH, M	LURE TEST, G	LINE TEST	ACTION	WEIGHT, G	SECTION	TRANSP. LENGTH, CM	EAN-13
SKY1-702L	2.13	3 - 12	#0.3 - 0.6 PE	Ex.Fast	88	2	111	4823102112534
SKY1-702ML	2.13	4 - 16	#0.4 - 0.8 PE	Ex.Fast	89	2	111	4823102112541
SKY1-702M	2.13	7 - 21	#0.6 - 1.0 PE	Ex.Fast	93	2	111	4823102112558
SKY1-702MH	2.13	10 - 30	#0.8 - 1.5 PE	Ex.Fast	101	2	111	4823102112565
SKY1-762L	2.29	3 - 14	#0.3 - 0.6 PE	Ex.Fast	93	2	119	4823102112589
SKY1-762ML	2.29	5 - 18	#0.4 - 0.8 PE	Ex.Fast	94	2	119	4823102112596
SKY1-762M	2.29	8 - 24	#0.6 - 1.0 PE	Ex.Fast	102	2	119	4823102112602
SKY1-762MH	2.29	10 - 35	#0.8 - 1.5 PE	Ex.Fast	104	2	119	4823102112619
SKY1-762H	2.29	16 - 50	#1.0 - 2.0 PE	Ex.Fast	-	2	119	4823102112626
SKY1-832L	2.51	3 - 14	#0.3 - 0.6 PE	Ex.Fast	-	2	129	4823102112640
SKY1-842MH	2.54	10 - 35	#0.8 - 1.5 PE	Ex.Fast	131	2	131	4823102112657
SKY1-842H	2.54	20 - 60	#1.0 - 2.0 PE	Ex.Fast	137	2	131	4823102112664
SKY1-842ExH	2.54	30 - 100	#1.5 - 3.0 PE	Ex.Fast	153	2	131	4823102112671
SKY1-862ML	2.58	5 - 18	#0.4 - 0.8 PE	Ex.Fast	-	2	134	4823102112688
SKY1-902L	2.74	3 - 14	#0.3 - 0.6 PE	Ex.Fast	-	2	141	4823102112701
SKY1-902ML	2.74	6 - 18	#0.4 - 0.8 PE	Ex.Fast	-	2	141	4823102112718
SKY1-902MH	2.74	12 - 35	#0.8 - 1.5 PE	Ex.Fast	133	2	141	4823102112732
SKY1-902H	2.74	25 - 65	#1.0 - 2.0 PE	Ex.Fast	154	2	141	4823102112749
SKY1-902ExH	2.74	30 - 100	#1.5 - 3.0 PE	Ex.Fast	176	2	141	4823102112756
SKY1-1002MH	3.00	12 - 35	#0.8 - 1.5 PE	Ex.Fast	151	2	156	4823102112770
SKY1-1002H	3.00	26 - 56	#1.0 - 2.0 PE	Ex.Fast	186	2	156	4823102112787
SKY1-1002ExH	3.00	30 - 100	#1.5 - 3.0 PE	Ex.Fast	201	2	156	4823102112794

## SkyLine

BAITCASTING

A series of versatile baitcasting rods. The rod has an increased power reserve, which allows you to very quickly land a medium fish and fight decently with a large one. And the utilization of high modulus Carbon fibers provides the rod with high sensitivity. Skyline casting rod has Seaguide XQG anti-skid guides made of SS316L stainless steel. The butt section is reinforced with 1K carbon fiber braid. The lightweight, low-profile carbon fiber composite reel seat provides a more comfortable palmability and balance to the rod. EVA inserts add to the comfort in the cold weather. Triangular handle shape provides support for your forearm. The fishing rod comes in a simple and functional oxford bag.



MODEL	LENGTH, M	LURE TEST, G	LINE TEST	ACTION	WEIGHT, G	SECTION	TRANSP. LENGTH, CM	EAN-13
SKYC-702H	2.13	16 - 45	#1.5 - 2.5 PE	Ex.Fast	133	2	110	4823102104669
SKYC-762ML	2.29	5 - 14	#0.6 - 1.2 PE	Ex.Fast	112	2	118	4823102103501
SKYC-762M	2.29	8 - 21	#0.8 - 1.5 PE	Ex.Fast	122	2	118	4823102103518
SKYC-762MH	2.29	10 - 30	#1 - 2 PE	Ex.Fast	122	2	118	4823102103525
SKYC-762H	2.29	16 - 45	#1.5 - 2.5 PE	Ex.Fast	137	2	118	4823102103570
SKYC-842MH	2.54	10 - 30	#1 - 2 PE	Ex.Fast	144	2	130	4823102103563
SKYC-842H	2.54	20 - 60	#1.5 - 3 PE	Ex.Fast	174	2	130	4823102103549
SKYC-842SH	2.54	30 - 100	#2 - 5 PE	Ex.Fast	193	2	130	4823102103532
SKYC-862M	2.58	8 - 21	#0.8 - 1.5 PE	Ex.Fast	123	2	134	4823102103556





Favorite Impulse is a wide series of micro jig spinning rods of sports class. It means that these spinning rods cast well at the lower rating of casting weight range and are specified for quick fishing of small size fish. Its' soft middle part of the blank performs good amortization, which doesn't let fish get off the hook when fighting quickly.

The spinning rod is equipped with anti-tangle Fuji Alconite guides arranged according to KR concept. There also is a comfortable reel seat with a lower carbon fiber nut.

The blank is made of prepreg carbon fiber produced by Japanese corporation "Toray" and has a modularity of 46 tonnes, the butt section is enforced with 1K braiding made of carbon fiber and the foregrip is made of EVA.



MODEL	LENGTH, M	LURE TEST, G	LINE TEST	ACTION	WEIGHT, G	SECTION	TRANSP. LENGTH, CM	EAN-13
IMPA-682UL-S	2.07	2 - 8	#0.2 - 0.4 PE	Ex.Fast	90	2	106	4823102101705
IMPA-732L-S	2.20	2 - 10	#0.2 - 0.6 PE	Ex.Fast	97.7	2	115	4823102101712
IMPA-762UL-T	2.29	0.6 - 7	#0.2 - 0.4 PE	Fast	90	2	117	4823102100647
IMPA-792L-T	2.36	2 - 10	#0.2 - 0.5 PE	Fast	96	2	122	4823102100654
IMPA-832L-T	2.51	3 - 12	#0.3 - 0.8 PE	Fast	102	2	129	4823102100661
IMPA-892L-T	2.71	3 - 12	#0.3 - 0.8 PE	Fast	124	2	137	4823102102290


## BLACK SWAN NEW

Ultra-lightweight rods for fishing with nano jigs expanding the range of the best selling Black Swan model. The rods' blanks are very thin and delicate, yet they have outstanding resilience, achieved thanks to high modulus carbon fiber. The rods are made of a mix of Toray T1100G+Nanoalloy, 46T and 40T carbon fibers.

Black Swan Nano is equipped with high-tech Fuji Torzite rings in titanium frames and a functional Fuji reel seat. The minimalist and ultra-lightweight EVA handle and graphite arbor have reduced the rod's weight and increased sensitivity. The butt grip is detachable, so the ergonomics of the handle can be adjusted to suit the angler's preferences and comfort.

The Black Swan Nano has an ultra-thin insert enabling the most intricate animation of the lightest lures. The thickness of the insert in the 602 model is 0.67 mm, and in the 652 model – 0.76 mm.

For secure transportation, the rod is equipped with a carbon fiber tube.



MODEL	LENGTH, M	LURE TEST, G	LINE TEST	ACTION	WEIGHT, G	SECTION	TRANSP. LENGTH, CM	EAN-13
BSW1-602N-S	1.70 - 1.83	up to 1	-	-	38	2	94	4823102107660
BSW1-652N-S	1.82 - 1.95	up to 2	-	-	41	2	100	4823102107653



## BLACK SWAN

Black Swan is the lightest, finest and most sensitive rods among the range of Favorite rods. The blanks are built according to Japanese rods for mackerel (aji) and squid (egji) fishing. Wicked, dry, it allows to cast the bait precisely and far, leaving no chance for the fish to escape. The handle is made of classically shaped EVA based on the most functional IPS reel seats. The grips are constructed utilizing graphite arbors with minimal epoxy to lighten its weight. The rod is equipped with titanium Fuji guides with Torzite inserts.

The best ratio of different high modulus carbon was chosen for the rod's blank, the basis is Toray T1100G carbon. This carbon is 30% stronger than other prepregs of equal modularity. Therefore, we were able to use more high modulus 40-46 TON carbons for the blank without sacrificing strength.

\* this models are equipped with Fuji SiC-S guides



Handle for UL-L, 902ML-T, 982M-T



Handle for ML-SH

MODEL	LENGTH, M	LURE TEST, G	LINE TEST	ACTION	WEIGHT, G	SECTION	TRANSP. LENGTH, CM	EAN-13
BSW1-6102SUL-HS	2.08	0.8 - 4	#0.2 - 0.4 PE	Ex.Fast	59	2	107	4823102103587
BSW1-722UL-HS	2.18	0.8 - 6	#0.2 - 0.4 PE	Ex.Fast	58	2	112	4823102103471
BSW1-772UL-T	2.31	1.5 - 7	#0.2 - 0.4 PE	Fast	65	2	119	4823102103464
BSWTS1-772M *	2.32	6 - 24	#0.6 - 1 PE	Fast	85	2	120	4823102107578
BSWTS1-772MH *	2.32	10 - 36	#0.8 - 1.5 PE	Fast	90	2	120	4823102107585
BSWTS1-772H *	2.32	16 - 56	#1 - 2 PE	Fast	100	2	120	4823102107615
BSW1-7112L-T	2.41	2 - 10	#0.2 - 0.6 PE	Fast	67	2	124	4823102103440
BSW1-842L-T	2.54	3 - 12	#0.3 - 0.6 PE	Fast	74	2	131	4823102103433
BSWTS1-852M *	2.57	6 - 24	#0.6 - 1 PE	Fast	97	2	133	4823102107608
BSWTS1-852MH *	2.57	10 - 36	#0.8 - 1.5 PE	Fast	103	2	133	4823102107622
BSWTS1-852H *	2.57	16 - 56	#1 - 2 PE	Fast	109	2	133	4823102107592
BSWTS1-852ExH *	2.57	24 - 84	#1.2 - 2.5 PE	Fast	134	2	133	4823102107639
BSWTS1-852SH *	2.57	40 - 120	#1.5 - 3 PE	Fast	147	2	133	4823102107646
BSW1-902L-T	2.74	2 - 10	#0.3 - 0.6 PE	Fast	80	2	142	4823102107677
BSW1-902ML-T	2.74	4 - 16	#0.4 - 0.8 PE	Ex.Fast	89	2	142	4823102103426
BSW1-982M-T	2.94	6 - 21	#0.4 - 0.8 PE	Fast	104	2	152	4823102104645


**BLUE BIRD**

Favorite Blue Bird is a series of affordable professional spinning rod series for micro jig and light jig. Its blanks are made of medium-modulus carbon fiber Skyflex30T. Fast action, quite rigid and sensitive. Each blank from the series is customized for specific tasks, which is typical for professional rods. Ergonomic handle based on IPS reel seat with carbon fiber screw.

Cut-off foregrip allows to put finger on the blank and acts as a support when necessary. Modern anti-tangle guides placed according to KR-concept. Thin and lightweight insert – analogous to Torzite. Light models are equipped with single leg AT type guides. The series consists of spinning rods with solid and tubular tips.



MODEL	LENGTH, M	LURE TEST, G	LINE TEST	ACTION	WEIGHT, G	SECTION	TRANSP. LENGTH, CM	EAN-13
BB1-602XUL-S	1.83	0.5 - 3	#0.15 - 0.3 PE	Ex.Fast	64	2	95	4823102106267
BB1-682SUL-S	2.04	0.8 - 5	#0.2 - 0.4 PE	Ex.Fast	74	2	104	4823102102689
BB1-732 UL-S	2.19	1 - 7	#0.2 - 0.6 PE	Ex.Fast	79	2	114	4823102102856
BB1-732L-T	2.19	3 - 12	#0.4 - 0.8 PE	Fast	85	2	114	4823102102696
BB1-762UL-T	2.30	1 - 7	#0.2 - 0.6 PE	Fast	78	2	117	4823102102702
BB1-802L-T	2.40	3 - 12	#0.4 - 0.8 PE	Fast	102	2	125	4823102102719
BB1-832ML-T	2.51	4 - 16	#0.6 - 1 PE	Fast	111	2	130	4823102102726
<b>ITALY SPECIAL</b>								
BB1-662SUL-S	1.98	0.5 - 5	#0.2 - 0.4 PE	Ex.Fast	76	2	102.5	4823102105833
BB1-682UL-S	2.04	1 - 7	#0.2 - 0.6 PE	Ex.Fast	85	2	105	4823102105840


**BLUE BIRD**


An affordable professional rod for Nanojig style fishing. Thin, soft blank with a solid tip is perfect for casting ice jigs up to 1 gram, and their pelagic retrieving with slow manipulation.

The blank is flexible and elastic, preventing small perches and white fish from tearing their lips during weigh-in, as well as avoiding a thin line tearing when bigger fish bite.

Blue Bird Nano stands out from other rods in the line due to its shortened carbon fiber handle resulting in reduced weight and enabling short one-handed casts. Blank is made of SkyFlex 30T carbon fiber, TZ analogue guides.



MODEL	LENGTH, M	LURE TEST, G	LINE TEST	ACTION	WEIGHT, G	SECTION	TRANSP. LENGTH, CM	EAN-13
BB1-602N-S	1.83	0.2 - 1.5	-	Ex-Fast	51	2	95	4823102106250
<b>COMPACT</b>								
<b>NEW</b> BB1-604N-S	1.83	0.2 - 1.5	-	Ex.Fast	54	4	52	4823102136035

## BLUE BIRD compact

The Blue Bird Compact is a compact spinning rod for micro jig fishing, that is very comfortable to take with on trips. The rod has good sensitivity, range and power in its handle.

Blanks are made of intermediate modulus carbon fiber Skyflex 30T. They have fast action, are quite stiff and sensitive. Ergonomic handle on IPS reel seat has carbon nut. Slanted foregrip allows to put finger on the blank and serves as a stop when needed.

Rods are equipped with modern anti-tangle guides, placed in accordance to the KR concept with a thin and light ceramic insert similar to Torzite. The AT-type guides are installed on the UL-model.

Blue Bird Compact comes with a practical plastic tube. The length of the two models varies, respectively 65 cm and 70 cm. Therefore, this rod will be a faithful companion on vacation or business trips.



MODEL	LENGTH, M	LURE TEST, G	LINE TEST	ACTION	WEIGHT, G	SECTION	TRANSP. LENGTH, CM	EAN-13
BBI-764UL-T	2.30	1 - 7	#0.2 - 0.6 PE	Fast	83	4	61	4823102102993
BBI-804L-T	2.40	3 - 12	#0.4 - 0.8 PE	Fast	109	4	65	4823102103006

## WHITE BIRD

Favorite White Bird is a series of spinning rods for micro jig and light jig for beginners. This series blanks are made of low-modulus carbon fiber IM24T yet have modern action and geometry. They are equipped with quite a good sensitivity, low weight and are designed for jig technique lure actions.

Ergonomic handle designed in classical for Japanese micro jig rods shape and is based on IPS reel seat. Short foregrip allows to put finger and the blank. Modern anti-overlapping guides placed according to KR-concept. Light models are equipped with single foot AT type guides. The series consists of spinning rods with solid and tubular tips.



MODEL	LENGTH, M	LURE TEST, G	LINE TEST	ACTION	WEIGHT, G	SECTION	TRANSP. LENGTH, CM	EAN-13
WBRI-682SUL-S	2.04	1 - 5	#0.2 - 0.4 PE	Ex.Fast	68	2	104	4823102102603
WBRI-732UL-S	2.19	1.5 - 7	#0.2 - 0.6 PE	Ex.Fast	76	2	113	4823102102627
WBRI-732L-T	2.19	3 - 12	#0.4 - 0.8 PE	Fast	84	2	113	4823102102610
WBRI-762UL-T	2.29	1.5 - 7	#0.2 - 0.6 PE	Fast	78	2	117	4823102102641
WBRI-802L-T	2.44	3 - 12	#0.4 - 0.8 PE	Fast	92	2	125	4823102102634
<b>ITALY SPECIAL</b>								
WBRI-662SUL-S	1.98	0.5 - 5	#0.2 - 0.4 PE	Ex.Fast	-	2	102.5	4823102107431
WBRI-662UL-S	1.98	2 - 8	#0.2 - 0.6 PE	Ex.Fast	-	2	102.5	4823102107448



## RAPID

Series of light extra fast high-modulus spinning rods for micro jig techniques with a great sensitivity and quick response. These rigid and short spinning rods allow to fully control ultralight lure actions of a wide range, from jig to topwater lures. The spinning rods are made of carbon fiber prepreg with the modularity of 46T produced by Japanese company Toray. The butt section is enforced with eight-directional OCG wrapping, the joints of the blank are enforced with carbon fiber wrapping, not a thread. The spinning rod is equipped with Fuji Torzite guides with titanium framing. Split handle's design is quite unusual, but very ergonomic and functional at the same time. The combining of EVA material and skeleton reel seat make the handle light and comfortable for those, who like to put their finger on the blank as well as for those, who like tight grip. High-modulus blank requires careful usage, that is why the spinning rod is kit out with a bag and a hard tube.




MODEL	LENGTH, M	LURE TEST, G	LINE TEST	ACTION	WEIGHT, G	SECTION	TRANSP. LENGTH, CM	EAN-13
RAPTZ-632SUL-T	1.92	1 - 5	#0.1 - 0.3 PE	Fast	55	2	98	4823102102252
RAPTZ-662UL-T	1.98	2 - 7	#0.2 - 0.4 PE	Fast	59	2	102	4823102102269
RAPTZ-692ML-T	2.05	3 - 14	#0.3 - 0.8 PE	Ex.Fast	69	2	106	4823102102283
RAPTZ-762L-T	2.29	2.5 - 10	#0.3 - 0.6 PE	Fast	66	2	117	4823102102658

## ARENA NEW

Rods for modern trout fishing in commercial lakes and gentle ultralight fishing on small rivers with not a strong current. Most models have fast action, the blanks are thin, delicate, but much stiffer than the classic Area rods. New Arena rods cast more accurately, they are more sensitive and adjusted to use thin braided lines, not only nylon line.

The rods are perfect not only for commercial trout ponds, but also for fishing in small creeks for chub, trout, ide or perch on micro wobblers, spoons and spinners.



COLOR	MODEL	LENGTH, M	LURE TEST, G	LINE TEST	ACTION	WEIGHT, G	SECTION	TRANSP. LENGTH, CM	EAN-13
Red	ARNI-5102UL-T	1.78	1 - 4.5	2.5 - 5 lb	Fast	68	2	91	4823102106113
Cyan	ARNI-602XUL-S	1.80	0.5 - 3	2 - 4 lb	Fast	70	2	94	4823102106106
Magenta	ARNI-622SUL-T	1.88	1.5 - 4	2.5 - 5 lb	Mod.Fast	72	2	97	4823102106090
Brown	ARNI-672UL-T	2.01	1.5 - 4.5	2.5 - 5 lb	Fast	74	2	102	4823102106083

## ARENA Stream

Favorite Arena Stream is a specialized model for trout fishing. It has a faster blank than the main ultralight Arena series fishing rods.

Moderate fast rod action with a rather stiff blank gives an opportunity to perform acute, slash, accurate casting and to cast a small size lures on a long distance even windward. The fishing rod also allows to perform delicate lure actions, including jerking ones and lets you feel strikes of a careful fish. Arena Stream is a spinning rod of increased strength capability and a rather good amortizing effect, which is experienced during fighting with big fish or forced fighting. The spinning rod is well suitable for fishing at trout ponds as well as ultralight fishing at small rivers and the in-shore fishing at big lakes.



MODEL	LENGTH, M	LURE TEST, G	LINE TEST	ACTION	WEIGHT, G	SECTION	TRANSP. LENGTH, CM	EAN-13
ARNS-542XUL	1.64	0.8 - 2.5	1.5 - 3 lb	Mod. Fast	-	2	86	4823102102214
ARNS-562SUL	1.68	1 - 5	1 - 4 lb	Mod. Fast	86	2	86.5	4823102100302
ARNS-602UL	1.80	2 - 7	2 - 5 lb	Mod. Fast	94	2	94.5	4823102100319
ARNS-662UL	1.98	3 - 10	3 - 6 lb	Mod. Fast	96	2	102	4823102100326
<b>CASTING MODEL</b>								
ARNC-602UL	1.80	2 - 7	2 - 5 lb	Mod. Fast Casting	96	2	94.5	4823102100296

## ARENA VIVID

Favorite Arena Vivid is a bright budget series of spinning rods, specialized for area trout fishing. It is developed for amateur anglers, who are fond of bright and elegant spinning rod designs.

Arena Vivid is a soft short spinning rod of parabolic action. The blank is made of carbon fiber with modularity of 24 TON, the reel seat is made of plastic. The spinning rods are slightly heavier than the top models of Arena series in general, but the action remains the same classic area.

There is one spinning rod available in different colors in the series: blue, yellow, brown, purple and tiffany. The length and the casting weight of the spinning rod is applicable for most commercial European trout area lakes. The length of Favorite Arena Vivid is 6'3 feet (1,9 m) with the casting weight up to 4 g.



COLOR	MODEL	LENGTH, M	LURE TEST, G	LINE TEST	ACTION	WEIGHT, G	SECTION	TRANSP. LENGTH, CM	EAN-13
Blue	ARNV-BL562UL	1.68	1.5 - 5	2 - 5 lb	Mod. Slow	90	2	87	4823102101958
Yellow	ARNV-YW632SUL	1.9	1 - 4	2 - 4 lb	Mod. Slow	96.9	2	99	4823102101965
Brown	ARNV-BR632SUL	1.9	1 - 4	2 - 4 lb	Mod. Slow	96.9	2	99	4823102101972
Tiffany	ARNV-TF632SUL	1.9	1 - 4	2 - 4 lb	Mod. Slow	96.9	2	99	4823102101989
Violet	ARNV-VL632SUL	1.9	1 - 4	2 - 4 lb	Mod. Slow	96.9	2	99	4823102101996



# COBALT

Favorite Cobalt is a series of multi-purpose spinning rods for the in-shore fishing. This spinning rod is perfectly suitable for pike and zander fishing with classic jig technique, as well as perch fishing with split rig or asp fishing in the water layer. Moderate fast action of the blank and special arrangement of the guides allow to perform long distance casting.

During lure action the top of the rod remains working all the time, showing the slightest bottom touches of a lure and the most careful fish bites. At the same time the blank is strong enough to perform an accurate hooking and to pierce fish from a long distance. As a result of thickness of the spinning rod, fish has no chance to get off the hook during fighting.



MLS



MODEL	LENGTH, M	LURE TEST, G	LINE TEST	ACTION	WEIGHT, G	SECTION	TRANSP. LENGTH, CM	EAN-13
CBL-802ML	2.40	5 - 18	8 - 16 lb	Mod. Fast	158	2	125	4823102100517
CBL-902M	2.70	9 - 28	10 - 20 lb	Mod. Fast	166	2	140	4823102100531
CBL-902MH	2.70	15 - 35	12 - 20 lb	Mod. Fast	188	2	140	4823102100548
CBL-902H	2.70	20 - 50	15 - 25 lb	Mod. Fast	190	2	140	4823102100524
CBL-1002H	3.00	20 - 50	15 - 25 lb	Mod. Fast	196	2	155	4823102100500
CBL-1002EXH	3.00	30 - 80	15 - 30 lb	Mod. Fast	225	2	155	4823102100494





## X1 NEW

The updated version of the X1 reel now comes in a clean black design. The concept of the model has not changed - less is more, yet it fully meets all the essential requirements of any angler.

The body and rotor of the reel are made of Nylon T60 material. It is stronger and harder than other plastics usually used in the manufacture of reel parts. The new rotor is also more ergonomically designed.

In the updated X1, the link is secured on two guides, increasing the stabilization of the mechanism under stress. As a result, the reel operates more evenly and the backlash on the link and in the main shaft is reduced.

The mechanism has 9 stainless steel ball bearings, which makes the reel highly reliable and allows it to be used in saltwater fishing. The enlarged HD Gear drive gear increases the power of the mechanism and makes it more durable.

The updated spool is 20 g lighter and has a "X" style perforation. The drag adjustment nut diameter has been increased. The spool handle is screwed into the drive gear, minimizing the occurrence of backlash in this assembly. The knob is made of soft-touch plastic and is T-shaped in size 4000.

Screw in handles | Nylon T60 | HD Gear Drive | FLE rotor | 9+1 | 5.2:1 Gear Ratio



MODEL/SIZE	WEIGHT, G	NYLON LINE CAPACITY, MM/M	BRAIDED LINE CAPACITY, PE #/M	BEARINGS	GEAR RATIO	MAX DRAG, KG	LINE RETRIEVE, CM	EAN-13	ADD.SPOOL
X1 202/2000	242	0.205/240, 0.26/160	0.6/300, 1.0/200	9+1	5.2:1	8	68	4823102108308	2216935147019
X1 20S2/2000S	244	0.165/140, 0.205/100	0.3/200, 0.6/150	9+1	5.2:1	8	68	4823102108254	2216935150019
X1 252/2500	248	0.235/240, 0.285/180	1.0/300, 1.5/220	9+1	5.2:1	8	73	4823102108261	2216935148016
X1 25S2/2500S	250	0.185/170, 0.26/100	0.6/200, 1.0/150	9+1	5.2:1	8	73	4823102108292	2216935151016
X1 402/4000	274	0.26/290, 0.31/230	1.5/300, 2.0/225	9+1	5.2:1	12	77	4823102108278	2216935149013
X1 40S2/4000S	276	0.205/150, 0.285/90	1.0/300, 1.5/150	9+1	5.2:1	12	77	4823102108285	2216935152013



# U1

NEW

Budget multipurpose spinning reel. High-quality winding allows you to work with soft PE-braids effortlessly. The reel has 7+1 bearings in the required places. The handle is screwed into the drive gear, ensuring a tight connection with minimized backlash. The U1 reel has a smooth and easy running as for a reel of its price segment.

Screw in  
Handle

Nylon T80

HD  
GEAR

7+1

5.1:1  
GEAR RATIO



MODEL/SIZE	WEIGHT, G	NYLON LINE CAPACITY, MM/M	BRAIDED LINE CAPACITY, PE #/M	BEARINGS	GEAR RATIO	MAX DRAG, KG	LINE RETRIEVE, CM	EAN-13	ADD.SPOOL
U1 20S1	263	0.185/180, 0.24/100	0.5/200, 0.8/150	7+1	5.1:1	6	67	4823102107691	2216930735013
U1 25S1	268	0.205/180, 0.26/120	0.8/1850, 1.2/150	7+1	5.1:1	6	70	4823102107707	2216930736010
U1 40S1	305	0.235/165, 0.35/80	1.2/185, 2/150	7+1	5.1:1	8	75	4823102107714	2216930737017

# SAPPHIRE

The series of budget reels for spinning rods. A wide model range covers the requirements of different style of spinning rod fishing – from ultra-light to heavy-jigging. The line laying mechanism allows to use not only even, but jerk trail tracing as well. The new rotor is 15% lighter, which significantly reduces inertia during rotation and increases sensitivity.

The line roller is mounted on two ball bearings with protection against dirt and water penetration. The reel handle is screwed into the drive gear, this minimizes the play and increases reliability.

Screw in  
Handle

HD  
GEAR

FL  
rotor

7+1

5.2:1  
GEAR RATIO



MODEL/SIZE	WEIGHT, G	NYLON LINE CAPACITY, MM/M	BRAIDED LINE CAPACITY, PE #/M	BEARINGS	GEAR RATIO	MAX DRAG, KG	LINE RETRIEVE, CM	EAN-13	ADD.SPOOL
SPHR201/2000	220	0.205/240, 0.26/160	0.6/300, 1/200	7+1	5.2:1	6	74	4823102103334	4823102103242
SPHR20S1/2000S	220	0.165/140, 0.205/100	0.3/200, 0.6/150	7+1	5.2:1	6	74	4823102103297	4823102103273
SPHR251/2500	225	0.235/240, 0.285/180	1/300, 1.5/220	7+1	5.2:1	6	79	4823102103280	4823102103259
SPHR25S1/2500S	225	0.185/170, 0.26/100	0.6/200, 1/150	7+1	5.2:1	6	79	4823102103211	4823102103310
SPHR401/4000	275	0.26/290, 0.31/230	1.5/300, 2/225	7+1	5.2:1	10	85	4823102103228	4823102103266
SPHR40S1/4000S	275	0.205/150, 0.285/90	1/300, 1.5/150	7+1	5.2:1	10	85	4823102103235	4823102103303

## SIRIUS

Powerful fixed-spool reel in a metal case. Used for spinning fishing in freshwater waters and seas. Recommended areas of use: fishing with medium and heavy soft lures and jig heads and pike twitching using large wobblers. There are no light models in this series. The line laying mechanism allows you to apply not only even tracing, but a jerk action as well.

The new carbon fiber rotor is 25% lighter. It significantly reduces inertia during rotation and increases sensitivity. This minimizes any play in this assembly and increases reliability.

The new line roller is installed on two ball bearings with protection against dirt and water penetration. The reel handle is screwed into the drive gear mounted on the steel shaft.



MODEL/SIZE	WEIGHT, G	NYLON LINE CAPACITY, MM/M	BRAIDED LINE CAPACITY, PE #/M	BEARINGS	GEAR RATIO	MAX DRAG, KG	LINE RETRIEVE, CM	EAN-13	ADD.SPOOL
SRS25S1/2500S	245	0.185/170, 0.26/100	0.6/200, 1/150	12+1	5.2:1	6	79	4823102103372	4823102103341
SRS401/4000	295	0.26/290, 0.31/230M	1.5/300, 2/225	12+1	5.2:1	12	85	4823102103365	4823102103358
SRS40S1/4000S	295	0.205/150, 0.285/90	1/300, 1.5/150	12+1	5.2:1	12	85	4823102103396	4823102103389

## ARENA

It is a light spinning reel for ultralight fishing. The spinning reel belongs to area trout fishing Favorite Arena series. The reel works great not only with area trout fishing, but with micro jig techniques, chub and asp fishing using light lures and thin lines. Its' soft and smooth motion, plain and tight fishing line laying allow to accurately long distance cast light lures and to perform both delicate and jerking actions with it. Modern carbon fiber material AirLite makes Arena reel light, but tough.

The absence of anti-reverse switch makes the reel's mechanism reliable. The metallic handle is screwed into the drive gear shaft. The spinning reel is also equipped with an ergonomic knob made of cork.



MODEL/SIZE	WEIGHT, G	NYLON LINE CAPACITY, MM/M	BRAIDED LINE CAPACITY, PE #/M	BEARINGS	GEAR RATIO	MAX DRAG, KG	EAN-13	ADD.SPOOL
C1500S	160	0.128/100, 0.148/80	0.2/300, 0.4/150	10+1	5.2:1	9	4823102100012	2216935073011
C2000S	180	0.138/170, 0.165/120	0.3/240, 0.6/150	10+1	5.2:1	9	4823102100029	2216935074018
C2500S	220	0.148/200, 0.185/130	0.4/330, 0.8/150	10+1	5.2:1	15	4823102100036	2216935075015



# HURRICANE

Favorite Hurricane is a series of inertialess spinning reels with the front drag. Favorite Hurricane spinning reels represent technical solutions present in most of the more expensive reel models of well-known brands. Heavy Duty Gear system reduces the looseness of the handle to its' minimal degree. Light composite rotor provides low inertia during rotation. Machined spool is equipped with powerful and accurate front drag based on carbon fiber ring plates.

The anti-twisting roller of the line roller is covered with titanium nitride. The spool body and the lid are made of carbon fiber.



MODEL/SIZE	WEIGHT, G	NYLON LINE CAPACITY, MM/M	BRAIDED LINE CAPACITY, PE #/M	BEARINGS	GEAR RATIO	MAX DRAG, KG	EAN-13	ADD.SPOOL
2000	258	0.205/240, 0.26/160	0.6/300, 1/200	10+1	5.2:1	16	4823102100081	2216935038010
2000S	258	0.165/140, 0.205/100	0.3/200, 0.6/150	10+1	5.2:1	16	4823102100098	2216935041010
2500	262	0.235/240, 0.285/180	1/300, 1.5/220	10+1	5.2:1	16	4823102100104	2216935039017
2500S	262	0.185/170, 0.26/100	0.6/200, 1/150	10+1	5.2:1	16	4823102100111	2216935042017
4000	303	0.26/290, 0.31/230	1.5/300, 2/225	10+1	5.2:1	22	4823102100128	2216935040013
4000S	303	0.205/150, 0.285/90	1/300, 1.5/150	10+1	5.2:1	22	4823102100135	2216935043014

## X1 Casting

X1 Casting is affordable medium power class baitcasting reel. The centrifugal magnetic braking system is recommended for casting baits from 10 g. The spool is adapted to use PE braided line, not fluorocarbon, as is the case with most bass baitcasting reels. The main gear is crafted from brass, the pinion gear has an additional support in the form of a bearing. This structure provides the reel with additional power and durability.

The reel is designated for softbaits on jig head, twitching with large hard lures (110-150 mm) and fishing with small swimbait (up to 20 cm).



MODEL/SIZE	WEIGHT, G	NYLON LINE CAPACITY, MM/M	BRAIDED LINE CAPACITY, PE #/M	BEARINGS	GEAR RATIO	MAX DRAG, KG	LINE RETRIEVE, CM	EAN-13
X1 100HDIL	215	-	2/150	11+1	7.2:1	8	71	4823102105819

## X1 PE 4<sup>x</sup>

Favorite X1 PE 4x is a multi-purpose four-wire line for spinning fishing. It complements the series of spinning rods and reels of the same name – X1. Japanese line X1 is made of high-molecular polyethylen IZANAS, previously known as Dyneema. The line keeps high tensile strength, reliability and durability.

Due to usage of H-Grade PE material, the line keeps balanced softness and high durability. The silicone covering Si-coating makes the surface of the line smooth and slippery. Due to those qualities, the friction in the guides decreases, but the casting capacity increases. The line with this kind of covering is less prone to water absorption. The additional technological process called MAT (Molecular Alignment Technology) increases the amount of polyethylen molecules directed one way, thus increases the base fiber's strength and allows to produce a stronger line without increasing its cost.



JAPANESE CLASSIFICATION NUMBER, #	STRENGTH, LB	STRENGTH, KG	DIAMETER, MM	COLOR	LENGTH, M	EAN-13
0.3	6	2.9	0.090	Light green	150	4516626056940
0.4	8	3.5	0.104	Light green	150	4516626056841
0.5	9	4.1	0.117	Light green	150	4516626056858
0.6	12	5.4	0.128	Light green	150	4516626056865
0.8	15	6.8	0.148	Light green	150	4516626056872
1.0	19	8.7	0.165	Light green	150	4516626056889
1.2	20	9.5	0.185	Light green	150	4516626056896
1.5	25	11.4	0.205	Light green	150	4516626056902
2.0	30	13.8	0.240	Light green	150	4516626056919
2.5	35	16.4	0.260	Light green	150	4516626056926
3.0	41	19	0.296	Light green	150	4516626056933
0.4	8	3.5	0.104	Orange	150	4516626056742
0.5	9	4.1	0.117	Orange	150	4516626056759
0.6	12	5.4	0.128	Orange	150	4516626056766
0.8	15	6.8	0.148	Orange	150	4516626056773
1.0	19	8.7	0.165	Orange	150	4516626056780
1.2	20	9.5	0.185	Orange	150	4516626056797
1.5	25	11.4	0.205	Orange	150	4516626056803
2.0	30	13.8	0.240	Orange	150	4516626056810
2.5	35	16.4	0.260	Orange	150	4516626056827
3.0	41	19	0.296	Orange	150	4516626056834

# SMART PE 8x

Favorite Smart PE 8x is an eight-wire line for spinning fishing.

The line is braided of eight fibers, which makes it thicker, more round and smoother than a four-wire one. In practice, this provides better casting, decrease of the friction noise of the line on the guides, less water resistance when fishing in very deep areas and better contact with a bait.

Made of durable H-Grade PE material, it has optimal softness and high wear resistance. The Si-coating silicone coating makes the line's surface smooth and slippery. The friction in the guides is decreased, therefore, the casting ability is increased. A line with such a coating absorbs less water. Lifetime painting allows to maintain a vibrant line color for a long time.



JAPANESE CLASSIFICATION NUMBER, #	STRENGTH, LB	STRENGTH, KG	DIAMETER, MM	COLOR	LENGTH, M	EAN-13
0.5	8	4.1	0.117	Sky blue	150	4516626056407
0.6	9	5.4	0.132	Sky blue	150	4516626056414
0.8	10	6.8	0.153	Sky blue	150	4516626056421
1.0	12	8.7	0.171	Sky blue	150	4516626056438
1.2	15	9.5	0.187	Sky blue	150	4516626056445
1.5	17	11.4	0.202	Sky blue	150	4516626056452
2.0	25	13.8	0.242	Sky blue	150	4516626056469
2.5	30	16.4	0.265	Sky blue	150	4516626056476
3.0	35	19	0.296	Sky blue	150	4516626056483
0.5	8	4.1	0.117	Red orange	150	4516626056490
0.6	9	5.4	0.132	Red orange	150	4516626056506
0.8	10	6.8	0.153	Red orange	150	4516626056513
1.0	12	8.7	0.171	Red orange	150	4516626056520
1.2	15	9.5	0.187	Red orange	150	4516626056537
1.5	17	11.4	0.202	Red orange	150	4516626056544
2.0	25	13.8	0.242	Red orange	150	4516626056551
2.5	30	16.4	0.265	Red orange	150	4516626056568
3.0	35	19	0.296	Red orange	150	4516626056575

Favorite Arena PE 4X is a specialized four-wire Japanese line for trout fishing. Being very thin, round and thick, it allows to long cast light lures as well as to keep them under control. The line is also suitable for an ultralight fishing, for example micro jig techniques. The line is made of highly strong S-Grade PE material with very thick braiding. Due to this, the lines are distinct for their thinness and high sensitivity, keeping durability at the same time.

The silicone covering Si-coating makes the surface of the line smooth and slippery. Due to those qualities, the friction in the guides decreases, but the casting capacity increases. The line with this kind of covering is less prone to water absorption. The application of Lifetime painting allows to keep the bright color of the line for a long time.



JAPANESE CLASSIFICATION NUMBER, #	STRENGTH, LB	STRENGTH, KG	DIAMETER, MM	COLOR	LENGTH, M	EAN-13
0.175	3.5	1.4	0.071	Purple	100	4516626056704
0.2	5	2.1	0.076	Purple	100	4516626056711
0.3	6.5	3	0.09	Purple	100	4516626056728
0.4	8	3.5	0.104	Purple	100	4516626056735
0.175	3.5	1.4	0.071	Purple	150	4516626056667
0.2	5	2.1	0.076	Purple	150	4516626056674
0.3	6.5	3	0.09	Purple	150	4516626056681
0.4	8	3.5	0.104	Purple	150	4516626056698
0.175	3.5	1.4	0.071	Silver gray	100	4516626056629
0.2	5	2.1	0.076	Silver gray	100	4516626056636
0.3	6.5	3	0.09	Silver gray	100	4516626056643
0.4	8	3.5	0.104	Silver gray	100	4516626056650
0.175	3.5	1.4	0.071	Silver gray	150	4516626056582
0.2	5	2.1	0.076	Silver gray	150	4516626056599
0.3	6.5	3	0.09	Silver gray	150	4516626056605
0.4	8	3.5	0.104	Silver gray	150	4516626056612





### LIP GRIP LPG1-10

A large and powerful lip grip for medium-sized fish. Handy for securing a fish in the water if you don't plan to take it out, or to safely remove it from the hooks in a landing net, submerged in water. Absolutely necessary for sea fishing for trophies with sharp teeth and barbs.

The combination of metal and plastic construction makes the lip grip both light and strong enough to be carried comfortably and to hold the trophy confidently.

The ergonomic shape is perfectly adjusted so that the tool can be operated easily with one hand. It comes with a retriever and a carabiner so you won't lose it.



MODEL	DIMENSIONS, MM	WEIGHT, G	EAN-13
LPG1-10	255	152	4823102106120

### LIP GRIP LPG1-7

The lightweight metal construction makes this lip grip light, yet strong enough, so that you can carry it comfortably and confidently hold the trophy. The ergonomic shape is perfectly adjusted to make it convenient to use the tool with one hand.

The lip grip is equipped with a retriever and a carabiner to keep it from being lost.



MODEL	DIMENSIONS, MM	WEIGHT, G	EAN-13
LPG1-7	185	88	4823102106137

### PLIERS PLSI-7

The pliers are made of aluminum alloy but have hard steel linings. They are equipped with jaws made from extra hard alloy to cut braid easily, a "tooth" for split rings, and a crimper for making leashes. The spring-loaded handles with ergonomic soft plastic grips provide comfortable one-handed operation. They feature a special lock to secure them when closed. An elastic retriever with a carabiner allows you to fasten the tool to your clothes or a bag to ensure, that you don't lose it even if it accidentally slips out.



MODEL	DIMENSIONS, MM	WEIGHT, G	EAN-13
PLSI-7	192	133	4823102106151

## EXTRACTOR ALIEN

A practical tool for extracting lures from the inside of trophy pike's mouths. Thanks to its long and narrow operating part and a powerful grip at the end, it is easy to manipulate even if the fish has swallowed the lure deeply. The extractor has a reliable fully metal construction. It is equipped with an elastic retriever with a carabiner, so that you can attach it to your fishing gear and avoid losing it accidentally.



MODEL	DIMENSIONS, MM	WEIGHT, G	EAN-13
ALN1-11	285	129	4823102106168

## EXTRACTOR EXR1-9

The extractor is used to remove the hook from the fish's mouth quickly and safely in the course of spinning fishing. It is easy to operate with one hand. All it takes is to pick the hook up with a special gripper, secure it in the slot provided, then rotate it. The narrow long operating part makes it possible to extract even a deeply swallowed hook. This type of extractor requires some time to master, but it will save you a lot of time if you need to unhook the fish frequently. This makes it indispensable for pike fishing competitions.

In order to have the extractor always at hand and to prevent losing it in the process of fishing, it is equipped with an elastic retriever with a carabiner.




MODEL	DIMENSIONS, MM	WEIGHT, G	EAN-13
EXR1-9	243	65	4823102106144



## ARENA LANDING NET

Trout fishing requires correct approach not only concerning your lures, but a careful treatment of a caught fish. In catch and release mode fishing and especially sports one, it is suggested that you use soft rubber landing net only, which doesn't harm fish. Favorite has created a model, which is perfectly suitable for trout area fishing. Landing net Arena is equipped with a wide head and a long handle, which allows to scoop fish easily not only from causeway, but from a "difficult" shore.




MODEL	LANDING NET COLOR	NET COLOR	HEAD DIMENSIONS, CM	LENGTH, M	TRANSP. SIZE, CM	MESH DEPTH, CM	WEIGHT, G	EAN-13
ALNRDI-140	Red	Clear	51x46	1.45	96x46	25	600	4823102107325
ALNTFI-140	Tiffany	Clear	51x46	1.45	96x46	25	600	4823102107332
ALNVTI-140	Violet	Clear	51x46	1.45	96x46	25	600	4823102107349
ALNBRI-140	Brown	Clear	51x46	1.45	96x46	25	600	4823102107356
<b>Folding head</b>								
AFLNBRI-140	Brown	Clear	47x45	1.42	96x24	25	750	4823102107363
<b>Telescopic handle</b>								
ATLNDBI-190	Dark blue	Clear	51x46	1.25 - 1.9	77x46	25	700	4823102107370
<b>NEW</b> ATLNBRI-190	Brown	Clear	51x46	1.25 - 1.9	77x46	25	700	4823102120331
<b>NEW</b> ATLNRDI-190	Red	Clear	51x46	1.25 - 1.9	77x46	25	700	4823102120324
<b>Head and meshes</b>								
Landing net head	Brown	Clear	54x46	-	-	25	-	4823102102870
Landing net mesh	-	Clear	-	-	-	25	-	4823102102887
Landing net mesh	-	Black	-	-	-	25	-	4823102102962



## FOLDING LANDING NET

A folding landing net for boat fishing for a large pike. Along with the telescopic handle, the head of the landing net also folds, thus saving space. A rubberized mesh does not injure the fish and its size is perfect for easy retrieval of treble hooks, but at the same time prevents fish from getting entangled. The aluminum handle is marked with a ruler to measure fish. The head frame has a D-loop for fast fish weighing with no need to remove the fish from the net.



MODEL	HEAD DIMENSIONS, CM	LENGTH, M	TRANSP. SIZE, CM	MESH DEPTH, CM	CELL SIZE, MM	WEIGHT, G	EAN-13
RCFLN1	75x60	1.77 - 2.36	104x30	70	30x30	1000	4823102104218

## BOAT LANDING NET

It will be an essential tool of every angler hunting for a big fish. The size of the head allows to scoop a huge trophy easily. The net is made of strong nylon, is waterproof and doesn't get entangled with softbait hooks.

The fixing of the handle and the head are additionally enforced. For the comfort of transportation, the handle may be taken off or slid inside the head. There's a centimeter scale on the handle to help you measure the length of a caught fish.



MODEL	HEAD DIMENSIONS, CM	LENGTH, M	TRANSP. SIZE, CM	MESH DEPTH, CM	CELL SIZE, MM	WEIGHT, G	EAN-13
BLN120	80x70	2	120x70	100	30x30	610	4823102102986
BLN160	80x70	2.4	160x70	100	30x30	650	4823102102979

## SMALL BOAT LANDING NET

It will be an essential tool of every angler hunting for a big fish. The size of the head allows to scoop a huge trophy easily. The net is made of strong nylon, is waterproof and doesn't get entangled with softbait hooks. The fixing of the handle and the head is additionally enforced. For the comfort of transportation, the handle may be taken off or slid inside the head. There's a centimeter scale on the handle to help you measure the length of a caught fish.



MODEL	HEAD DIMENSIONS, CM	LENGTH, M	TRANSP. SIZE, CM	MESH DEPTH, CM	CELL SIZE, MM	WEIGHT, G	EAN-13
RLN1-80	58x48	1.37	81x48	50	30x30	590	4823102104348



## BAKKAN TACKLE SYSTEM

Bakkan Tackle System is a modular storage for fishing equipment with 4 elements. All elements of the system connect with each other like a constructor and fully complement each other.

### TACKLE BAKKAN

Rectangular semi-rigid box with a lid. It has a strong frame made of durable EVA fabric, like that of the top Japanese bakkans. Plastic molded bottom adds rigidity, it is waterproof and easy to clean.

The bakkan is equipped with rod holders, a pair of D-rings for accessories and a tool pocket.

Equipped with a shoulder strap made of PVC, which has three attachment points for quick length adjustment. Thus, it is equally convenient to carry the bakkan both on the shoulder and in the hand.



MODEL	DIMENSIONS, CM	CAPACITY, L	EAN-13
BKN20M	36x23x28	20	4823102103792

### HARD INNER TRAY

A rigid tray with a transparent lid, placed on the bakkan rim on top. The lid has several mesh pockets on the inside. This element fits terminal tackle and accessories that should always be at hand: lures in packs, terminal tackles, fluorocarbon, etc. Hard Inner Tray is compatible not only with the Favorite bakkan system, but also with other bakkans of similar dimensions.



MODEL	DIMENSIONS, CM	EAN-13
HIT-M	35x22x29	4823102103785

### MINI BAKKAN

Small semi-rigid EVA box with a transparent lid. Convenient for transporting reels or packs of soft lures, can also be used to organize and store any tackle. The size is designed to fit two mini bakkans side by side at the base of the bag.



MODEL	DIMENSIONS, CM	EAN-13
MBKN-M	20.5x16x13	4823102103778

### BAKKAN TACKLE CLEAR POUCH

Transparent "wallet" made of soft plastic, inside the lid has a mesh pocket. Perfect for storing various small accessories and tackle. Two such "wallets" are easily placed in the Hard Inner Tray.



MODEL	DIMENSIONS, CM	EAN-13
TCP-M	20x15x5	4823102103761

## ROD CASE

Soft rod case made of dense fabric. With a zipper. Two sections inside: one for the butt section and the other for the tip. The design enables to put the case over a folded rod still with a reel attached to it. This provides convenience when traveling from place to place while coastal fishing, as well as during the transportation of equipment in the car.

The set includes a neoprene strap, designed to regulate the length of the case and to keep it secure when folded.

The strap can be used to secure the tip and the butt of the rod with the attached reel and the line threaded through the guides during transportation.



MODEL	DIMENSIONS, CM	ROD COMPATIBILITY, CM	NUMBER OF COMPARTMENTS	EAN-13
FCRB114-BCK	114x9	up to 213	2	4823102104331
FCRB122-BCK	122x9	up to 229	2	4823102104324
FCRB132-BCK	132x9	up to 248	2	4823102104317
FCRB144-BCK	144x9	up to 270	2	4823102104300
FCRB114-BLC	114x9	up to 213	2	4823102104294
FCRB122-BLC	122x9	up to 229	2	4823102104287
FCRB132-BLC	132x9	up to 248	2	4823102104270
FCRB144-BLC	144x9	up to 270	2	4823102104263

## REEL CASE

Soft neoprene case for transporting your reel. Protects against scratches and dust. Contains a separate velcro pocket to store the reel handle. Mesh sides for better ventilation. Available in two sizes.

Size S - for 1000-3000 size reels.

Size M - for reels size 4000-5000.



MODEL	SIZE	DIMENSIONS, MM	EAN-13
NRC-S	S	15x13	4823102103754
NRC-M	M	17x15	4823102103747

## ROD STRAP

Neoprene rod ties for rod fixation. Can be used for securing parts of a 2-piece rod with or without a reel attached. Or for the fastening of several rods to each other for easy transportation. The slit is designed for fixation by the guide of the rod. Two sizes: for the rim part of the rod and the tip.



MODEL	DIMENSIONS, MM	QTY. PER PACK, PCS.	EAN-13
NRS	20x3, 12x3	2	4823102103730

## NEOPRENE HIP GUARD

NEW

The Favorite Hip Guard is an essential accessory for comfortable fishing from a boat. This neoprene seat ensures that the buttocks stay dry when sitting on a wet surface and also provides warmth to your lower back in cold weather. The Hip Guard is designed to help you enjoy fishing regardless of the weather conditions.

The anatomically shaped seat has two belt fasteners on the waist and hips, so as to fit the body perfectly without restricting any movement. Produced from technological materials, the inner layer of neoprene doesn't slide on clothes and the outer layer of textured fabric provides excellent grip. Thanks to its multilayer design the seat is moisture and cold resistant and maintains warmth well. And as a bonus, it protects outerwear from mechanical damage and dirt.



MODEL	EAN-13
NHG-XL	4823102106984

## HAND TOWEL

A branded accessory to keep your hands clean while fishing. Made of synthetic material that absorbs moisture well, dries quickly and is easy to wash. The print is applied on one side and preserves perfectly even after prolonged use. The towel has a snap clip for attaching it to a belt or a bag to keep it always at hand.



DIMENSIONS, CM	EAN-13
30x30	2216935357012

## HOODIE

The universal style allows you to wear the jacket not only for fishing, but also in everyday life. A large double-sided pocket in the front part will be convenient for various small things or for warming your hands. Deep hood with drawstrings for size adjustment. It has elastic cuffs and a belt that does not stretch while wearing.

On "Trophy spots" series depicted a shape of real trophy that was caught, photographed and released by one of our Team Favorite Pro-Staffers. Inside is part of the terrain map of secret fishing spots for this fish.

The fabric consists of 70% cotton and 30% polyester, thanks to which it is very pleasant to the body, moderately stretches without restricting movements.



Trophy spots



NEW

Trio Fish

MODEL	COLOR / FISH	S	M	L	XL	2XL	3XL
Trophy spots	red, perch	2216932375019	2216932376016	2216932377013	2216932378010	2216932379017	2216932380013
	green, pike	2216932381010	2216932382017	2216932383014	2216932384011	2216932385018	2216932386015
	gray, zander	2216932369018	2216932370014	2216932371011	2216932372018	2216932373015	2216932374012
NEW Trio Fish	black	4823102134505	4823102134710	4823102134727	4823102134734	4823102134741	4823102134758





## T-SHIRT

Stylish and comfortable, made of cotton fabric, these t-shirts will be a great addition to your wardrobe. For fishing or "for every day" in the city.

On a bright branded t-shirt "Trophy spots" depicted a shape of a real trophy that was caught, photographed and released by one of our Team Favorite Pro-Staffers. Inside is part of the terrain map of secret fishing spots for this fish.

Fabric composition:  
95% cotton, 5% elastane.



Trophy spots

Trio Fish



Drawing

MODEL	COLOR / FISH	S	M	L	XL	2XL	3XL
Trophy spots	red, perch	2216932417016	2216932418013	2216932419010	2216932420016	2216932421013	2216932422010
	green, pike	2216932423017	2216932424014	2216932425011	2216932426018	2216932427015	2216932428012
	gray, zander	2216932411014	2216932412011	2216932413018	2216932414015	2216932415012	2216932416019
NEW Trio Fish	black	4823102134444	4823102134451	4823102134468	4823102134475	4823102134482	4823102134499
	gray, perch	4823102134260	4823102134277	4823102134284	4823102134291	4823102134307	4823102134314
NEW Drawing	stone, pike	4823102134321	4823102134338	4823102134345	4823102134352	4823102134369	4823102134376
	graphite, zander	4823102134383	4823102134390	4823102134406	4823102134413	4823102134420	4823102134437

## BASIC JERSEY

Lightweight jerseys with mesh inserts will be your ultimate protection from sun radiation and burns during summertime fishing.

- Breathable and quick-drying — your comfort in summer days.
- Anatomic design, ultralight fabric with cooling effect.
- Elongated cuffs to protect your wrists.
- UPF 50+ sun proof treatment.



MODEL, COLOR \ SIZE	S	M	L	XL	2XL	3XL
Perch, red	2216935524018	2216935525015	2216935526012	2216935527019	2216935528016	2216935529013
Zander, gray	2216935536011	2216935537018	2216935538015	2216935539012	2216935540018	2216935541015
Pike, green	2216935530019	2216935531016	2216935532013	2216935533010	2216935534017	2216935535014
F logo, blue	2216935542012	2216935543019	2216935544016	2216935545013	2216935546010	2216935547017
Tuna, blue	2216935548014	2216935549011	2216935550017	2216935551014	2216935552011	2216935553018





## HOODED JERSEY

This lightweight jerseys with mesh inserts and hood will be your ultimate protection from sun radiation and burns during summertime fishing. Based on the Basic jersey model it offers better protection due to the hood.

- Breathable and quick-drying — your comfort in summer days.
- Anatomic design, ultralight fabric with cooling effect.
- Elongated cuffs to protect your wrists.
- UPF 50+ sun proof treatment.



MODEL, COLOR \ Size	S	M	L	XL	2XL	3XL
Perch, red	2216935494014	2216935495011	2216935496018	2216935497015	2216935498012	2216935499019
Zander, gray	2216935506014	2216935507011	2216935508018	2216935509015	2216935510011	2216935511018
Pike, green	2216935500012	2216935501019	2216935502016	2216935503013	2216935504010	2216935505017
F logo, blue	2216935512015	2216935513012	2216935514019	2216935515016	2216935516013	2216935517010
Tuna, blue	2216935518017	2216935519014	2216935520010	2216935521017	2216935522014	2216935523011
<b>NEW</b> Camo, gray	4823102134154	4823102134147	4823102134130	4823102134123	4823102134116	4823102134109

## ANATOMIC AND BASIC BUFF

Made from same ultralight fabric as the jerseys and follow the jerseys design.

- Anatomic design and cooling effect fabric.
- Mesh insert on Anatomic buff for better air circulation.
- Sun radiation protection UPF 50+.
- One size fits all.



Anatomic



Basic

NEW

MODEL \ COLOR	BLUE	GREEN	RED	GRAY	CAMO, GRAY
Anatomic	2216935557016	2216935555012	2216935554015	2216935556019	-
Basic	2216935561013	2216935559010	2216935558013	2216935560016	4823102133881 <span>NEW</span>

## SOLAR GLOVES


NEW

Summer fishing gloves that will protect your hands from the sun and wind. They are made of thin, breathable, quick-drying fabric with a cool effect and UPF 50+ protection. The palms have abrasion-resistant pads that prevent the tackle from slipping in your hands.

Complement jerseys and buffs in color.



COLOR \ SIZE	S/M	L/XL
Red	4823102120805	4823102120799
Green	4823102120782	4823102120775
Grey	4823102120768	4823102120751
Blue	4823102120744	4823102120737
Khaki	4823102120720	4823102120713
White Blue	4823102120706	4823102120690







## BASEBALL CAP



1021



1029



1030



1031



1159



1802



1803



1805

SIZE \ MODEL	1021	1029	1030	1031	1159	1802	1803	1805
56	2216932218019	2216932221019	2216932224010	2216932227011	2216932023019	2216932230011	2216932233012	2216932239014
58	2216932219016	2216932222016	2216932225017	2216932228018	2216932024016	2216932231018	2216932234019	2216932240010
60	2216932220012	2216932223013	2216932226014	2216932229015	2216932025013	2216932232015	2216932235016	-



410



595



1287



2226



2227



2228



FFC-1 GRAY

NEW



FFC-1 GREEN

NEW



FFC-1 RED

NEW

SIZE \ MODEL	410	595	1287	2226	2227	2228	FFC-1 GRAY <sup>NEW</sup>	FFC-1 GREEN <sup>NEW</sup>	FFC-1 RED <sup>NEW</sup>
56	2216932236013	2216932238017	-	2216932202018	2216932205019	2216932207013	-	-	-
58	2216932237010	-	2216932210013	2216932203015	2216932206016	2216932208010	2216935568012	2216935569019	2216935570015
60	-	-	2216932211010	2216932204012	-	2216932209017	-	-	-

## CAP WITH MESH



1221



1280



1286



996



2072



2073



2074



581

SIZE \ MODEL	1221	1280	1286	996	2072	2073	2074	581
56	-	2216932192012	2216932195013	-	2216932241017	2216932243011	2216932245015	-
58	2216932200014	2216932193019	2216932196010	2216932198014	2216932242014	2216932244018	2216932246012	2216932038013
60	2216932201011	2216932194016	2216932197017	2216932199011	-	-	-	2216932044014

## TRUCKER CAP

NEW

SIZE \ MODEL	PERCH	PIKE	ZANDER
58	2216935571012	2216935572019	2216935573016



PERCH



PIKE



ZANDER

## SNAPBACK CAP



336



990



991



992



994



995

SIZE \ MODEL	336	990	991	992	994	995
56	2216932061011	-	-	-	-	-
58	2216932019012	2216932216015	2216932217012	2216932212017	2216932213014	2216932215018
60	-	-	-	-	2216932214011	-



We have been obsessed with saltwater fishing for years. Since that time we've accumulated knowledge, experience and got acquainted with awesome anglers worldwide.

All those things were applied in the Favorite saltwater collection of rods.

The amount of sea fish is countless and tackle is various. That's why we don't offer multi-purpose solution for everything, but have developed specialized tackle and marked them with special archetypes of fish.



## COBALT

This shore fishing rod is best used with hard plastic lures. Moderate-fast action of the blank allows an angler to cast big volume hard baits comfortably and really far. In the meantime, Cobalt is stiff enough for jerking with minnow type lures and poppers. The rod is equipped with modern anti-tangle guides placed according to KR-concept. They have an optimal size to use with thick fluorocarbon leader.

A wide range of rods include a short light model that is suitable for seabass fishing in ports and long models that can be used for surf lure fishing.



MLS



MODEL	LENGTH, M	LURE TEST, G	LINE TEST	ACTION	WEIGHT, G	SECTION	TRANSP. LENGTH, CM	EAN-13
SCBL-802ML	2.44	5 - 18	#0.6 - 1.0 PE	Mod.Fast	179	2	127	4823102101491
SCBL-862M	2.62	7 - 28	#0.8 - 1.5 PE	Mod.Fast	199	2	135	4823102101507
SCBL-902MH	2.74	10 - 35	#1.0 - 2.0 PE	Mod.Fast	217	2	142	4823102101514
SCBL-962H	2.92	15 - 45	#1.5 - 2.5 PE	Fast	235	2	150	4823102101521
SCBL-1002ExH	3.00	20 - 60	#2.0 - 3.0 PE	Fast	-	2	-	4823102101538
SCBE-802ML	2.44	egi 2 - 3	#0.4 - 0.8 PE	Mod.Fast	157	2	127	4823102101552
SCBE-802M	2.44	egi 2.5 - 3.5	#0.6 - 1.0 PE	Mod.Fast	163	2	127	4823102101545

## X1

Reasonably priced versalite rod developed for shore fishing. Favorite X1 has good casting ability, power and toughness. These features make the rod ready to meet strong pelagic fish. The rod is equipped with modern anti-tangle guides placed according to KR-concept. They have an optimal size to use with a thick fluorocarbon leader.

X1 is suitable for a wide variety of lures and techniques. It works well with jerkbaits, stickbaits and topwater lures as well as for shore jigging with metal jigs.



MLS



MODEL	LENGTH, M	LURE TEST, G	LINE TEST	ACTION	WEIGHT, G	SECTION	TRANSP. LENGTH, CM	EAN-13
SX1-802M	2.44	7 - 28	#0.6 - 1.5 PE	Fast	170	2	127	4823102101385
SX1-862MH	2.62	10 - 30	#0.8 - 1.5 PE	Fast	201	2	135	4823102101392
SX1-902MH	2.74	10 - 30	#1.0 - 2.0 PE	Fast	207	2	142	4823102101408
SX1-902H	2.74	15 - 45	#1.5 - 2.5 PE	Fast	217	2	142	4823102101415
SX1-902EXH	2.74	20 - 70	#2.0 - 3.0 PE	Fast	249	2	142	4823102101422
SX1-962EXH	2.92	20 - 70	#2.0 - 3.0 PE	Fast	277	2	150	4823102101439
SX1E-802L	2.44	egi 1.5 - 2.2	#0.4 - 0.6 PE	Mod.Fast	-	2	127	4823102105895
SX1E-832M	2.52	egi 2.5 - 3.5	#0.6 - 1 PE	Mod.Fast	-	2	130	4823102105864
SX1E-862MH	2.60	egi 3.0 - 4.0	#0.8 - 1.2 PE	Mod.Fast	-	2	135	4823102105857

## X1 offshore

Reasonably priced versalite boat 2-in-1 rod. Favorite X1 was developed to be used for casting fishing as well as for vertical jigging technique. The moderate rod action is suitable for slow and medium animation of metal jigs. At the same time, the blank is stiff enough for jerking and popping.

Special reinforced put-in joint type makes the curve of blank smoother and more durable; it eliminates the weak place of the blank. The rod consists of 2 pieces, thereby it is compact and easy in transportation.

The optimal handle length is perfect for casting big lures and holding it in vertical jigging. In addition, an ergonomic foregrip and special shape of butt cap are designed for convenience when fighting with big fish.



MLS



MODEL	LENGTH, M	LURE TEST, G	LINE TEST	ACTION	WEIGHT, G	SECTION	TRANSP. LENGTH, CM	EAN-13
SX1O-662L	1.98	5 - 20 (Slow Jig 15 - 50)	#0.8 - 1.5 PE	Ex. Fast	-	2	-	4823102102405
SX1O-702ML	2.13	10 - 35 (Slow Jig 25 - 80)	#1.0 - 2.0 PE	Ex. Fast	189	2	110	4823102101354
SX1O-702M	2.13	20 - 50 (Slow Jig 50 - 130)	#2.0 - 3.0 PE	Ex. Fast	213	2	110	4823102101361
SX1O-7815ExH	2.38	40 - 120	#4.0 - 5.0 PE	Mod. Fast	311	1.5	167	4823102101378



# X1 *saltwater*



MODEL	LENGTH, M	LURE TEST, G	LINE TEST	ACTION	WEIGHT, G	SECTION	TRANSP. LENGTH, CM	EAN-13
<b>ITALY SPECIAL</b>								
SXI-715L	2.16	5 - 18	#0.5 - 0.8 PE	Fast	-	1.5	-	4823102105826
SXI-7215ML	2.18	5 - 25	#0.6 - 1.0 PE	Fast	-	1.5	-	4823102102450
SXI-7315M	2.20	10 - 30	#0.8 - 1.5 PE	Fast	-	1.5	-	4823102102443
SXI-7615ML	2.28	7 - 28	#0.6 - 1.0 PE	Fast	-	1.5	-	4823102102436
SXI-7615M	2.28	18 - 40	#0.8 - 1.5 PE	Fast	-	1.5	-	4823102103495
SXI-7615MH	2.28	20 - 50	#1.0 - 2.0 PE	Fast	-	1.5	-	4823102102429
SXI-7815H	2.34	20 - 80	#1.5 - 2.0 PE	Fast	-	1.5	-	4823102102412
SXI-732M	2.20	10 - 30	#0.8 - 1.5 PE	Fast	-	2	-	4823102103419
SXI-762MH	2.28	20 - 50	#1.0 - 2.0 PE	Fast	-	2	-	4823102103402

# X1 *tuna*



MODEL	LENGTH, M	LURE TEST, G	MAX LINE TEST	DRAG MAX	ACTION	WEIGHT, G	SECTION	TRANSP. LENGTH, CM	EAN-13
<b>FRANCE SPECIA</b>									
STXI-7815M	2.34	100	#5 PE	60 LB	-	-	1.5	-	4823102107547
STXI-8015MH	2.45	180	#6 PE	80 LB	-	-	1.5	-	4823102107554
STXI-8015H	2.45	200	#8 PE	100 LB	-	-	1.5	-	4823102107561

# CREED *saltwater*



MODEL	LENGTH, M	LURE TEST, G	MAX LINE TEST	ACTION	WEIGHT, G	SECTION	TRANSP. LENGTH, CM	EAN-13
<b>ITALY SPECIAL</b>								
SCRD-7315M	2.20	10 - 40	#0.8 - 1.5 PE	Fast	-	1.5	-	4823102104256
SCRD-7615ML	2.28	10 - 30	#0.6 - 1 PE	Moderate Fast	-	1.5	-	4823102104249
SCRD-7615MH	2.28	20 - 50	#1 - 2 PE	Fast	-	1.5	-	4823102104232
SCRD-7815H	2.34	30 - 60	#1.5 - 3 PE	Fast	-	1.5	-	4823102104225
<b>OFFSHORE ITALY SPECIAL</b>								
SCRD-7615H	2.28	30 - 80	#2 - 3 PE	Moderate Fast	-	1.5	-	4823102106977



It is a high class light rockfishing rod. High modulus blank is highly light and sensitive. It provides a good castability and easy operation of extremely light rigs.

The blank has an excellent bending in the middle section that doesn't allow an angler to lose small fish during fighting. In the meantime, powerful butt section helps to get a strong bottom fish that likes to escape in rocks.

Model range consists of models with solid and tubular tip. Solid tip rods are developed for precise animation of ultralight softbaits rigs. Tubular models are suitable for a wider variety of lures, including small plastic stickbaits. The rod is equipped with Fuji anti-tangle guides with special anti-rust plated frames and ergonomic TVS reel seat.



MODEL	LENGTH, M	LURE TEST, G	LINE TEST	ACTION	WEIGHT, G	SECTION	TRANSP. LENGTH, CM	EAN-13
SIMP-762UL-T	2.29	0.6 - 7	#0.2 - 0.4 PE	Fast	97	2	118	4823102101323
SIMP-792L-T	2.36	2 - 10	#0.2 - 0.5 PE	Fast	103	2	122	4823102101330
SIMP-832ML-T	2.51	3 - 12	#0.2 - 0.6 PE	Fast	109	2	130	4823102101347



Blue Bird is a reasonably priced rod designed for light rockfishing. The rod has a light blank with Extra-fast action. The range is divided into model with solid tip and models with tubular tip. The first one is developed for precise animation of ultralight softbaits rigs. Tubular models are suitable for a wider variety of lures, such as small plastic stickbaits, poppers, minnows, metal jigs etc.

The rod is equipped with modern anti-tangle guides placed according to KR-concept. It allows an angler fish comfortably with very thin PE lines.



MODEL	LENGTH, M	LURE TEST, G	LINE TEST	ACTION	WEIGHT, G	SECTION	TRANSP. LENGTH, CM	EAN-13
SBB682UL-S	2.04	1 - 7	#0.2 - 0.4 PE	Ex. Fast	102	2	106	4823102101293
SBB732ML-S	2.19	4 - 14	#0.3 - 0.8 PE	Ex. Fast	112	2	115	4823102101309
SBB792L-T	2.36	2 - 10	#0.2 - 0.6 PE	Ex. Fast	114	2	122	4823102101316

## SHOOTER

Shooter is a high class shore spinning rod. It is suitable for fishing with different types of plastic hard baits, as well as light metal jigs. Furthermore, the sensitive blank allows an angler to feel any slight jig bites on jigs or make precise fishing with softbaits. The blank is made of high modulus carbon, that is why it is very light. At the same time, it is enforced with x-shape carbon tape wrapping that makes the blank stiffer and stronger. The rod is equipped with Fuji KR-concept guides with special anti-rust plated frames.



MODEL	LENGTH, M	LURE TEST, G	LINE TEST	ACTION	WEIGHT, G	SECTION	TRANSP. LENGTH, CM	EAN-13
SSH-802ML	2.44	5 - 21	#0.6 - 1.0 PE	Fast	137	2	127	4823102101446
SSH-862M	2.62	7 - 28	#0.8 - 1.5 PE	Fast	162	2	135	4823102101453
SSH-902MH	2.74	10 - 35	#1.0 - 2.0 PE	Fast	202	2	142	4823102101460
SSH-962H	2.92	15 - 50	#1.5 - 2.5 PE	Fast	227	2	150	4823102101477
SSH-982ExH	2.98	20 - 70	#2.0 - 3.0 PE	Fast	246	2	152	4823102101484

## offshore SHOOTER

Shooter offshore is a high class offshore spinning rod. It is developed for fishing with different kinds of hard plastic lures like jerking minnows, stickbaits and poppers. Furthermore, the light models are suitable also for fishing with softbaits due to high blank sensitivity.

High modulus blank is quite stiff and rigid, that is why the rod is perfect for jerking and popping techniques as well as fighting with strong pelagic predators. The long handle with a special shape of butt cap is comfortable for casting big baits and fighting with large fish.

The rod is equipped with Fuji anti-tangle guides with special anti-rust plated frames.



MODEL	LENGTH, M	LURE TEST, G	LINE TEST	ACTION	WEIGHT, G	SECTION	TRANSP. LENGTH, CM	EAN-13
SSHO-7015M	2.10	15 - 50	#1.5 - 2.5 PE	Mod. Fast	215	1.5	158	4823102101569
SSHO-7615M	2.32	15 - 50	#1.5 - 2.5 PE	Mod. Fast	235	1.5	169	4823102101576
SSHO-7615MH	2.32	25 - 80	#2.0 - 3.0 PE	Mod. Fast	247	1.5	169	4823102101583
SSHO-8015H	2.40	40 - 120	#4.0 - 5.0 PE	Mod. Fast	324	1.5	180	4823102101590

## SHOOTER // offshore *Bluefin*



MODEL	LENGTH, M	LURE TEST, G	MAX LINE TEST	DRAG MAX	ACTION	WEIGHT, G	SECTION	TRANSP. LENGTH, CM	EAN-13
<b>ITALY SPECIAL</b>									
ISSHO-8015MH	2.45	30 - 150	#6 PE	55 LB	-	-	1.5	-	4823102106571
ISSHO-8015H	2.45	50 - 180	#8 PE	65 LB	-	-	1.5	-	4823102106564

## SHOOTER // offshore *Pelagic*



MODEL	LENGTH, M	LURE TEST, G	MAX LINE TEST	DRAG MAX	ACTION	WEIGHT, G	SECTION	TRANSP. LENGTH, CM	EAN-13
<b>ITALY SPECIAL</b>									
ISSHP-7615ML	2.29	20 - 90	#4 PE	30 LB	-	-	1.5	-	4823102107462
ISSHP-7715MH	2.31	25 - 120	#6 PE	35 LB	-	-	1.5	-	4823102107455

## SLOW CLAW

Slow Claw is a special model developed for fishing in trending slow jigging style. Moderate-slow action of the blank allows an angler to make the right "slow" animation of jigs. The ergonomic handle is comfortable to hold during jigging and it enables the blank bend fully during the fight with a fish.

The rod is equipped with Fuji anti-tangle guides with special anti-rust plated frames. Guides are placed according to "revolver" concept to provide more power for fighting and prevent line tangling around the guides during jigging.



MODEL	LENGTH, M	LURE TEST, G	LINE TEST	POW. CLASS	ACTION	WEIGHT, G	SECTION	CODE
SLC-661UL	2.02	Jig 10 - 45 (Tairaba 30 - 150)	#0.6 - 1.5 PE	0	Moderate	122	1	4823102101606
SLC-661ML	2.02	Jig 30 - 100	#1.0 - 3.0 PE	1	Moderate	131	1	4823102101613
SLC-661M	2.02	Jig 60 - 200	#2.0 - 4.0 PE	2	Moderate	137	1	4823102101620
SLC-661MH	2.02	Jig 90 - 300	#3.0 - 6.0 PE	3	Moderate	149	1	4823102101637



# X1

Saltwater version of X1 spinning reel series, which supplements the same named series.

The body is made of strong and light aluminium alloy. Gear ratio of the reel is 6.0:1.

The lightened and compact rotor has little inertia, which reflects at the softness and smoothness of the motion overall. The inner mechanism consists of 9 ball-bearings, due to which the reel is highly reliable and allows to use it for saltwater fishing. The enlarged gear pinion HD Gear promotes the increasing of power capacity of the mechanism and makes it more durable. All these factors make the reel stronger and more durable, which are the most important factors in saltwater fishing especially.

The handle of the reel is screwed into the drive gear's shaft, which reduces the possible looseness of this assembly unit.

Favorite X1 Salt Water spinning reels are released in the following sizes: 2500, 4000 and 5000.

Favorite X1 is a series of spinning reels fully corresponding to X1 series concept: functional tackle for amateur fishing at an acceptable price.



MODEL	WEIGHT, G	NYLON LINE CAPACITY (MM/M)	BRAIDED LINE CAPACITY (PE #/M)	BALL BEARINGS	GEAR RATIO	MAX DRAG, LB	CODE
2500HG	280	0.205/240, 0.26/160	1/300, 1.5/220	9+1	6.0:1	16	4823102102382
4000HG	310	0.235/240, 0.285/180	1.5/300, 2/225	9+1	6.0:1	25	4823102102368
5000HG	316	0.26/290, 0.31/230	2/300, 3/200	9+1	6.0:1	25	4823102102375











**Headquarters:**

**IBIS-GEAR Sp. z o.o.**  
1, Kolejowa St., 95-035  
Ozorkow, Poland  
NIP: 7011093552

**IBIS**

20, Stepana Bandery Ave,  
Kyiv, Ukraine  
04073

**Sales managers:**

**Ruslan Voikhevich**  
38(067)226-11-98  
ruslan.v@fish-exp.com

**Sergey Marchenko**  
38(067)507-25-91  
sergey.m@fish-exp.com



[en.favorite-fishing.com](http://en.favorite-fishing.com)



[@favoritfishing\\_official](https://www.instagram.com/favoritfishing_official)  
[@favoritfishing\\_poland](https://www.instagram.com/favoritfishing_poland)  
[@favoritfishing\\_ukraine](https://www.instagram.com/favoritfishing_ukraine)

